

REMARKS

The drawings were objected to by the Examiner. There have been a number of changes to the drawings as well as to the specification on page 8, which now make the drawings and the specification consistent. Annotated copies of the drawings showing changes in red are submitted herewith which are believed to overcome these objections.

The specification has been amended to correct the problems kindly noted by the Examiner.

By this amendment, the specification has been amended to reflect the serial numbers of related cases.


Claim 9 has been amended to correct the informalities, kindly noted by the Examiner.

Claims 1-17 have been allowed.

It is believed that these changes now make the claims clear and definite and, if there are any problems with these changes, Applicants' attorney would appreciate a telephone call.

In view of the foregoing, it is believed that this application is believed to be in condition for allowance, the notice of which is respectfully requested.

Respectfully submitted,



Attorney for Applicant(s)
Registration No. 31,330

Mark G. Bocchetti/djw
Rochester, NY 14650
Telephone: 585-477-3395
Facsimile: 585-477-4646

If the Examiner is unable to reach the Applicant(s) Attorney at the telephone number provided, the Examiner is requested to communicate with Eastman Kodak Company Patent Operations at (585) 477-4656.

Enclosures: Replacement Figure 1-5
Annotated Sheets Showing Changes
Letter to the Draftsperson
Copy of Formal Drawings

Amendments to the Drawings:

Replacement sheets for Figures 1-5 are enclosed which formalize the drawings that were submitted with the application. The enclosed sheets of drawings include changes to Figures 2 and 4. These sheets replace the original Figures 2 and 4. Approval by the Examiner is respectfully requested.

Attachment: Replacement Figures 1-5
Annotated Sheet Showing Changes




FIG. 2




FIG. 4